



6902 Bearing 2D drawings and 3D CAD models

SKF NSK Koyo Deep Groove Ball Bearing 6902 Hybrid Ceramic Bicycle Ball Bearings

Bearing No. 6902

Size	15x28x7 mm
Bore Diameter	15 mm
Outer Diameter	28 mm
Width	7 mm
d	15 mm
D	28 mm
B	7 mm
C	7 mm
r min.	0,3 mm
da min.	17 mm
Da max.	26 mm
ra max.	0,3 mm
Weight	0,017 Kg
Basic dynamic load rating (C)	4,3 kN
Basic static load rating (C0)	2,25 kN
(Grease) Lubrication Speed	26000 r/min
(Oil) Lubrication Speed	30000 r/min
Category	Single Row Ball Bearings
Inventory	0.0
Manufacturer Name	KOYO
Minimum Buy Quantity	N/A
Weight / Kilogram	0.016
EAN	0605790085871
Product Group	B00308
Enclosure	Open



China 608rs Bearing Supplier

Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch - Metric	Metric
Long Description	15MM Bore; 28MM Outside Diameter; 7MM Outer Race Diameter; Open; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	http://www.koyousa.com
Manufacturer Item Number	6902
Weight / LBS	0.036
Bore	0.591 Inch 15 Millimeter
Outside Diameter	1.102 Inch 28 Millimeter
Outer Race Width	0.276 Inch 7 Millimeter
Bearing No.	6902
r(min)	0.3
Cr	5.40
C0r	2.25
Cu	0.120
f0	14.3
Grease lub.	26000



China 608rs Bearing Supplier

Oil lub.	30000
da(min)	17
Da(max)	26
ra(max)	0.3
(Refer.)Mass(kg)	0.017